

### Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

### Listing of Claims:

Claim 1 (Currently Amended): A method for producing concrete blocks, ~~it being possible for~~ wherein a number of individually selectable separate molds ~~to be attached~~ are attachable to a base frame, comprising the following method steps:

- fitting of the base frame with a number of selected separate molds,
- establishing a detachable connection between the separate molds and the base frame to arrest the separate molds,
- filling the separate molds with liquid concrete material,
- removing the cured concrete blocks from the separate molds, and
- separating the separate molds from the base mold;

wherein the base frame is formed as an outer frame, a number of separate molds are detachably attached to one another in the interior of the outer frame, a range of different separate molds

are kept in a storage area, individually selectable separate molds are taken using an automatic removal device from the storage area to the base frame for fitting, and the separate molds are separated from the base frame and returned to the storage area after use; and

wherein the base frame has separating locations for opening and the separate molds have pins pushable into openings of neighboring separate molds or of the base frame.

Claims 2-7 (Canceled).

Claim 8 (Withdrawn): A base frame for producing concrete blocks, in particular for producing concrete blocks by a method as claimed in claim 1, it being possible for the base frame to be detachably connected to separate molds for filling with liquid concrete material inner molds.

Claim 9 (Withdrawn): A separate mold for attaching to a base frame, as claimed in claim 8, the separate mold having connecting elements for the detachable connection to corresponding connecting elements of the base frame.

Claim 10 (Withdrawn): A modular mold system for producing concrete blocks, with a base frame, to which one or more individually selectable separate molds can be detachably attached for filling with liquid concrete material.